


Inspection Logbook

for vehicles with a freight security
certificate
in accordance with DIN EN 12642 – Code XL



Walking-floor Semitrailers, Payload 34500 kg

Inspection Logbook No. 283162

VIN:									
S/N:									

Art. No. 283162 Version: 09 / 2021 Page 1 of 10



Contents

1.	Introduction	3
2.	Inspection items2.1 Preliminaries	
	2.2 Front wall	4
	2.3 Side wall	4
	2.4 Optional side wall with doors .	5
	2.5 Rear wall	6
	2.6 Load securing / lashing equipment	7
3.	Annual inspection certificate	9/10

Wilhelm Schwarzmüller GmbH

Hanzing 11 4785 Freinberg Austria

Phone: +43 7713 800-0

lasi@schwarzmueller.com office@schwarzmueller.com www.schwarzmueller.com

© 2021 Wilhelm Schwarzmüller GmbH All rights reserved

Page 2 of 10 Art. No. 283162 Version: 09 /



1. Introduction

Purchasing a Schwarzmüller vehicle was a decision for a high-quality product.

The certification of your vehicle in accordance with DIN EN 12642 – Code XL makes annual inspections by

- -- Schwarzmüller servicing workshops
- -- Schwarzmüller authorised dealers
- -- any inspection association authorised to carry out and/or confirm the annual general inspection (e.g. § 57a in Austria)

a prerequisite.

Please note that the freight security logbook will only remain valid if:

- 1. the compulsory annual inspections are actually carried out;
- 2. all inspection items are checked as specified by the manufacturer;
- 3. the vehicle has not been modified without the manufacturer's written approval.

Always keep this logbook in the vehicle even when hiring out or selling it – it will help you show how well your vehicle has been maintained and is the record to present in case of traffic checks.

Art. No. 283162 Page 3 of 10

Version: 09 / 2021



2. Inspection items

2.1 Preliminaries

Check the following before starting the inspection routine:

> Is the VIN on the cover and the inspection checklist on page 9/10 the same as that in the vehicle?

The section below describes the annual inspection items and components sorted by assemblies.

The equipment configurations were customised to meet the customer's preferences. Actual component positions and images may differ according to the model type and configuration.

General notes on inspection:

- Check the weld seams for cracks
- > Check whether screws and rivets are tight
- > Check that all configuration options are in place and in good working order
- Check the tension belts, tarpaulin sheaves, tarpauling tensioning gears and door locks for proper operation and damages
- Check bonded parts for tight fit
- Check the operability of moving parts

Immediately have damages removed by a service centre authorised by Schwarzmüller. Only use spares approved by Schwarzmüller.

2 Front wall



Check that all rivets and screws are tight; check the weld seams for cracks



Inner front wall: Check the weld seams and the reinforcement between the front and side walls for cracks

2.3 Side wall



Inner and outer side wall: Check the weld seams for cracks



Cross bow brackets: Check the weld seams for cracks

Page 4 of 10 Art. No. 283162

Version: 09 /



2.4 Optional side wall with doors





Top and bottom espagnolettes: Check that the screws are tight



Side walls: Check the weld seams for cracks



Front posts: Check that the screws are tight



Central posts: Check that the screws are tight



Rear posts: Check that the screws are tight



Central posts: Check that the rivets are tight, Check the hinges for operability and damage, Check the hinge mount for damage and that it is tight



Rear wall doors: Check the hinges for operability and damage,

Check the hinge mount for damage and that it is tight





2.5 Rear wall



Check that the screws are tight, check the weld seams for cracks



Check that the screws are tight, check the weld seams for cracks



Latch on rear portal girder: check that the screws are tight, check the weld seams for cracks



Check the hinges for operability and damage Check the hinge mount for damage and that it is tight



Bottom rear door: Check the locking pin for damage and that the screws are tight



Top rear door:

that the screws are tight

Page 6 of 10

Art. No. 283162 Version: 09 /



2.6 Load securing / lashing equipment

Please check the various designs of load securing and lashing equipment for damage and proper operability. Also check that their mounting elements are tight.





Lateral lashing bracket next to the walking-floor

Art. No. 283162 Page 7 of 10 Version: 09 / 2021



Page 8 of 10 Art. No. 283162 Version: 09 /

2021



3. Annual inspection certificate

VIN:																
------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Use this section to record the compulsory annual servicing measures carried out by the inspection association concerned.

The inspection certificates ensure continued road safety and reliability of operation and are the record to present in case of traffic checks.

Item	Inspection Date	Stamp	Signature / Name of Tester
1			
			Name
2			Name
			Trainio
3			
3			Name
4			
			Name
5			
			Name
6			Name
			Traine
7			
'			Name
8			
			Name
9			
			Name

Art. No. 283162 Version: 09 / 2021



Item	Inspection Date	Stamp	Signature of Tester
10			
			Name
11			
			Name
12			Name
			Name
13			
			Name
14			
			Name
15			
15			Name
16			
			Name
17			
			Name
18			
			Name
19			
			Name
20			
			Name